Journal of Applied Ecology 2005
42, 1215–1221

Index

Aarrestad, P.A. *see* **Vandvik, V.**
Abolins, S.R. *see* **Goulson, D.**
Adams, H.S. *see* **Rentch, J.S.**
Ahnström, J. *see* **Bengtsson, J.**
Airoldi, L. *see* **Bulleri, F.**
Alexander, G. *see* **Palmer, M.A.**
Allan, J.D. *see* **Palmer, M.A.**
Amsinck, S.L. *see* **Søndergaard, M.**
Anderson, J.T. *see* **Rentch, J.S.**
Andreassen, H.P. *see* **Nilsen, E.B.**
Antonsen, H. & Olsson, P.A. Relative importance of burning, mowing and species translocation in the restoration of a former boreal hayfield: responses of plant diversity and the microbial community, 337
Aplet, G.H. *see* **Crist, M.R.**
Arzoumanian, Z., Holmberg, J. & Norman, B. An astronomical pattern-matching algorithm for computer-aided identification of whale sharks *Rhincodon typus*, 999
Asteraki, E.J. *see* **Atkinson, P.W.**
Åström, M., Dynesius, M., Hylander, K. & Nilsson, C. Effects of slash harvest on bryophytes and vascular plants in southern boreal forest clear-cuts, 1194
Atkinson, P.W., Fuller, R.J., Vickery, J.A., Conway, G.J., Tallowin, J.R.B., Smith, R.E.N., Haysom, K.A., Ings, T.C., Asteraki, E.J. & Brown, V.K. Influence of agricultural management, sward structure and food resources on grassland field use by birds in lowland England, 932
Augenstein, I. *see* **Schweiger, O.**
Augustin, S. *see* **Gilbert, M.**
Aukema, B. *see* **Schweiger, O.**
Aviron, S. *see* **Schweiger, O.**

Backx, H. *see* **Jansson, R.**
Bagnall, D.J. *see* **Thrall, P.H.**
Bailey, D. *see* **Schweiger, O.**
Baker, S.E., Ellwood, S.A., Watkins, R. & Macdonald, D.W. Non-lethal control of wildlife: using chemical repellents as feeding deterrents for the European badger *Meles meles*, 921
Bakker, J.P. *see* **Wolters, M.**
Barker, N.H.L. *see* **White, P.C.L.**
Barker, R. *see* **Boyce, M.S.**
Barney, J.N., Di Tommaso, A. & Weston, L.A. Differences in invasibility of two contrasting habitats and invasiveness of two mugwort *Artemisia vulgaris* populations, 567
Bary, F., Gange, A.C., Crane, M. & Hagley, K.J. Fungicide levels and arbuscular mycorrhizal fungi in golf putting greens, 171
Beccaloni, J. *see* **Eggleton, P.**
Bengtsson, J., Ahnström, J. & Weibull, A.-C. The effects of organic agriculture on biodiversity and abundance: a meta-analysis, 261
Bernhardt, E.S. *see* **Palmer, M.A.**
Bertness, M.D. *see* **Wolters, M.**
Bieber, C. & Ruf, T. Population dynamics in wild boar *Sus scrofa*: ecology, elasticity of growth rate and implications for the management of pulsed resource consumers, 1203
Billeter, R. *see* **Schweiger, O.**
Birkett, T. *see* **Holland, J.M.**
Bjørnstad, O.N. *see* **Humston, R.**
Blumstein, D.T., Fernández-Juricic, E., Zollner, P.A. & Garity, S.C. Inter-specific variation in avian responses to human disturbance, 943
Bonenfant, C., Gaillard, J.-M., Klein, F. & Hamann, J.-L. Can we use the young: female ratio to infer ungulate population dynamics? An empirical test using red deer *Cervus elaphus* as a model, 361
Boulton, A.J. *see* **Jansson, R.**
Bourne, F.J. *see* **Woodroffe, R.**
Boutin, S. *see* **Wheatley, M.**
Boyce, M.S., Irwin, L.L. & Barker, R. Demographic meta-analysis: synthesizing vital rates for spotted owls, 38
Boyd, K. *see* **Gillilan, S.**
Bradbury, R.B. *see* **Butler, S.J.**
Brakes, C.R. & Smith, R.H. Exposure of non-target small mammals to rodenticides: short-term effects, recovery and implications for secondary poisoning, 118
Brämick, U. *see* **Diekmann, M.**
Brenner, G. *see* **Smith, J.E.**
Brockerhoff, E. *see* **Buckley, Y.M.**
Brockwell, J. *see* **Thrall, P.H.**
Brooks, S. *see* **Palmer, M.A.**
Brøseth, H., Tufto, J., Pedersen, H.C., Steen, H. & Kastdalen, L. Dispersal patterns in a harvested willow ptarmigan population, 453
Brown, V.K. *see* **Atkinson, P.W.**
Buckley, Y.M., Brockerhoff, E., Langer, L., Ledgard, N., North, H. & Rees, M. Slowing down a pine invasion despite uncertainty in demography and dispersal, 1020
Buckley, Y.M., Rees, M., Sheppard, A.W. & Smyth, M.J. Stable coexistence of an invasive plant and biocontrol agent: a parameterized coupled plant–herbivore model, 70
Bugter, R. *see* **Schweiger, O.**
Buijse, A.D. *see* **Van Geest, G.J.**
Bukacek, R. *see* **Schweiger, O.**
Bulleri, F. & Airoldi, L. Artificial marine structures facilitate the spread of a non-indigenous green alga, *Codium fragile* ssp. *tomentosoides*, in the north Adriatic Sea, 1063
Bullock, J.M. *see* **Skarpaas, O.**
Burel, F. *see* **Schweiger, O.**
Buskirk, S.W. *see* **Stephens, P.A.**

© 2005 British Ecological Society

Butler, S.J., Bradbury, R.B. & Whittingham, M.J. Stubble height affects the use of stubble fields by farmland birds, 469
Butrous, M. *see* **Van Der Werf, W.**

Caley, P. & Hone, J. Assessing the host disease status of wildlife and the implications for disease control: *Mycobacterium bovis* infection in feral ferrets, 708
Calvert, A.M. & Gauthier, G. Effects of exceptional conservation measures on survival and seasonal hunting mortality in greater snow geese, 442
Cannon, A.R., Chamberlain, D.E., Toms, M.P., Hatchwell, B.J. & Gaston, K.J. Trends in the use of private gardens by wild birds in Great Britain 1995–2002, 659
Cao, Y. & Hawkins, C.P. Simulating biological impairment to evaluate the accuracy of ecological indicators, 954
Carr, J. *see* **Palmer, M.A.**
Chamberlain, D.E. *see* **Cannon, A.R.**
Chamberlain, D.E. *see* **Whittingham, M.J.**
Chamsinhg, B. *see* **Khoa, S.N.**
Chapman, C.A. *see* **Gillespie, T.R.**
Cheeseman, C.L. *see* **Woodroffe, R.**
Cingolani, A.M., Posse, G.A. & Collantes, M.B. Plant functional traits, herbivore selectivity and response to sheep grazing in Patagonian steppe grasslands, 50
Clarke, F.M., Rostant, L.V. & Racey, P.A. Life after logging: post-logging recovery of a neotropical bat community, 409
Classen, A.T. *see* **Hart, S.C.**
Clayton, S. *see* **Palmer, M.A.**
Clifton-Hadley, R.S. *see* **Woodroffe, R.**
Clout, M.N. *see* **Ji, W.**
Cocke, A.E., Fulé, P.Z. & Crouse, J.E. Forest change on a steep mountain gradient after extended fire exclusion: San Francisco Peaks, Arizona, USA, 814
Collantes, M.B. *see* **Cingolani, A.M.**
Condit, R. *see* **Hooper, E.**
Conway, G.J. *see* **Atkinson, P.W.**
Coops, H. *see* **Van Geest, G.J.**
Couteron, P., Pelissier, R., Nicolini, E.A. & Paget, D. Predicting tropical forest stand structure parameters from Fourier transform of very high-resolution remotely sensed canopy images, 1121
Cowlishaw, G., Mendelson, S. & Rowcliffe, J.M. Evidence for post-depletion sustainability in a mature bushmeat market, 460
Cox, D.R. *see* **Woodroffe, R.**
Crane, M. *see* **Bary, F.**
Creegan, H.P. & Osborne, P.E. Gap-crossing decisions of woodland songbirds in Scotland: an experimental approach, 678
Crist, M.R., Wilmer, B. & Aplet, G.H. Assessing the value of roadless areas in a conservation reserve strategy: biodiversity and landscape connectivity in the northern Rockies, 181
Crouse, J.E. *see* **Cocke, A.E.**
Cruz-Angón, A. & Greenberg, R. Are epiphytes important for birds in coffee plantations? An experimental assessment, 150
Cummings, J., Reid, N., Davies, I. & Grant, C. Adaptive restoration of sand-mined areas for biological conservation, 160
Cunningham, R.B. *see* **Lindenmayer, D.B.**
Curtis, C.J., Emmett, B.A., Grant, H., Kernan, M., Reynolds, B. & Shilland, E. Nitrogen saturation in UK moorlands: the critical role of bryophytes and lichens in determining retention of atmospheric N deposition, 507

Dahm, C.N. *see* **Palmer, M.A.**
Davies, I. *see* **Cummings, J.**
De Bello, F., Lepš, J. & Sebastià, M.-T. Predictive value of plant traits to grazing along a climatic gradient in the Mediterranean, 824
Delparte, D. *see* **D'Eon, R.G.**
Den Nijs, H.C.M. *see* **Hooftman, D.A.P.**
Dennis, B. *see* **Hayward, J.L.**
D'Eon, R.G. & Delparte, D. Effects of radio-collar position and orientation on GPS radio-collar performance, and the implications of PDOP in data screening, 383
Derwent, L.C. *see* **Goulson, D.**
Di Tommaso, A. *see* **Barney, J.N.**
Diekmann, M., Brämick, U., Lemcke, R. & Mehner, T. Habitat-specific fishing revealed distinct indicator species in German lowland lake fish communities, 901
Diekötter, T. *see* **Schweiger, O.**
Dirksen, J. *see* **Schweiger, O.**
Dixon, M. *see* **Jansson, R.**
Doherty, D.A. *see* **Harcourt, A.H.**
Donnelly, C.A. *see* **Woodroffe, R.**
Du Toit, J.T. *see* **Tambling, C.J.**
Duck, C. *see* **Thompson, D.**
Dudgeon, D. *see* **Jansson, R.**
Dulvy, N.K., Jennings, S., Goodwin, N.B., Grant, A. & Reynolds, J.D. Comparison of threat and exploitation status in North-East Atlantic marine populations, 883
Dunn, D.W. *see* **Goulson, D.**
Dynesius, M. *see* **Åström, M.**

Eggleton, P., Vanbergen, A.J., Jones, D.T., Lambert, M.C., Rockett, C., Hammond, P.M., Beccaloni, J., Marriott, D., Ross, E. & Giusti, A. Assemblages of soil macrofauna across a Scottish land-use intensification gradient: influences of habitat quality, heterogeneity and area, 1153
Ehrlén, J., Syrjänen, K., Leimu, R., Garcia, M.B. & Lehtilä, K. Land use and population growth of *Primula veris*: an experimental demographic approach, 317
Ehrlén, J. *see* **Münzbergová, Z.**
Ellwood, S.A. *see* **Baker, S.E.**
Emery, S.M. & Gross, K.L. Effects of timing of prescribed fire on the demography of an invasive plant, spotted knapweed *Centaurea maculosa*, 60
Emmett, B.A. *see* **Curtis, C.J.**

© 2005 British Ecological Society,

Fernández-Juricic, E. *see* **Blumstein, D.T.**
Fischer, M. *see* **Wipf, S.**
Fisher, J.T. *see* **Wheatley, M.**
Follstad Shah, J. *see* **Palmer, M.A.**
Fortney, R.H. *see* **Rentch, J.S.**
Freckleton, R.P. *see* **Whittingham, M.J.**
Freckleton, R.P., Hulme, P., Giller, P. & Kerby, G. The changing face of applied ecology, 1
Freise, J. *see* **Gilbert, M.**
French, K. *see* **Lindsay, E.A.**
Frenzel, M. *see* **Schweiger, O.**
Fulé, P.Z. *see* **Cocke, A.E.**
Fuller, R.J. *see* **Atkinson, P.W.**
Funes, M.C. *see* **Novaro, A.J.**

Gabriel, D. *see* **Roschewitz, I.**
Gaillard, J.-M. *see* **Bonenfant, C.**
Galat, D.L. *see* **Palmer, M.A.**
Gange, A.C. *see* **Bary, F.**
Garaway, C. *see* **Khoa, S.N.**
Garbutt, A. *see* **Wolters, M.**
Garcia, M.B. *see* **Ehrlén, J.**
Garity, S.C. *see* **Blumstein, D.T.**
Gaston, K.J. *see* **Cannon, A.R.**
Gauthier, G. *see* **Calvert, A.M.**
Gerber, L. *see* **McCallum, H.**
Gettinby, G. *see* **Woodroffe, R.**
Gilbert, M., Guichard, S., Freise, J., Grégoire, J.-C., Heitland, W., Straw, N., Tilbury, C. & Augustin, S. Forecasting *Cameraria ohridella* invasion dynamics in recently invaded countries: from validation to prediction, 805
Gill, A.B. Offshore renewable energy: ecological implications of generating electricity in the coastal zone, 605
Giller, P. *see* **Freckleton, R.P.**
Giller, P.S. River restoration: seeking ecological standards. Editor's introduction, 201
Gillespie, T.R., Chapman, C.A. & Greiner, E.C. Effects of logging on gastrointestinal parasite infections and infection risk in African primates, 699
Gillilan, S., Boyd, K., Hoitsma, T. & Kauffman, M. Challenges in developing and implementing ecological standards for geomorphic river restoration projects: a practitioner's response to Palmer *et al.* (2005), 223
Giusti, A. *see* **Eggleton, P.**
Goodwin, N.B. *see* **Dulvy, N.K.**
Goodwin, P. *see* **Palmer, M.A.**
Goulson, D., Derwent, L.C., Hanley, M.E., Dunn, D.W. & Abolins, S.R. Predicting calyptrate fly populations from the weather, and probable consequences of climate change, 795
Grafton, W.N. *see* **Rentch, J.S.**
Granadeiro, J.P. *see* **Lourenço, P.M.**
Grant, A. *see* **Dulvy, N.K.**
Grant, C. *see* **Cummings, J.**
Grant, H. *see* **Curtis, C.J.**
Grégoire, J.-C. *see* **Gilbert, M.**
Greenberg, R. *see* **Cruz-Angón, A.**
Greiner, E.C. *see* **Gillespie, T.R.**
Gross, K.L. *see* **Emery, S.M.**
Guichard, S. *see* **Gilbert, M.**
Gundersen, H. *see* **Nilsen, E.B.**

Hagley, K.J. *see* **Bary, F.**
Hamann, J.-L. *see* **Bonenfant, C.**
Hammond, P.M. *see* **Eggleton, P.**
Hanley, M.E. *see* **Goulson, D.**
Harcourt, A.H. & Doherty, D.A. Species–area relationships of primates in tropical forest fragments: a global analysis, 630
Hart, D.D. *see* **Palmer, M.A.**
Hart, S.C., Classen, A.T. & Wright, R.J. Long-term interval burning alters fine root and mycorrhizal dynamics in a ponderosa pine forest, 752
Harvey, G.R. *see* **Thrall, P.H.**
Hassett, B. *see* **Palmer, M.A.**
Hatchwell, B.J. *see* **Cannon, A.R.**
Hawkins, C.P. *see* **Cao, Y.**
Haysom, K.A. *see* **Atkinson, P.W.**
Hayward, G.D. *see* **Stephens, P.A.**
Hayward, J.L., Henson, S.M., Logan, C.J., Parris, C.R., Meyer, M.W. & Dennis, B. Predicting numbers of hauled-out harbour seals: a mathematical model, 108
Hearn, J.P. *see* **Viggers, K.L.**
Heegaard, E. *see* **Vandvik, V.**
Heitland, W. *see* **Gilbert, M.**
Henderson, I.S. *see* **Smith, G.C.**
Hendrickx, F. *see* **Schweiger, O.**
Henson, S.M. *see* **Hayward, J.L.**
Hérault, B., Honnay, O. & Thoen, D. Evaluation of the ecological restoration potential of plant communities in Norway spruce plantations using a life-trait based approach, 536
Herzog, F. *see* **Schweiger, O.**
Hewinson, R.G. *see* **Woodroffe, R.**
Hirst, R.A., Pywell, R.F., Marrs, R.H. & Putwain, P.D. The resilience of calcareous and mesotrophic grasslands following disturbance, 498
Hoitsma, T. *see* **Gillilan, S.**
Holland, J.M., Thomas, C.F.G., Birkett, T., Southway, S. & Oaten, H. Farm-scale spatiotemporal dynamics of predatory beetles in arable crops, 1140
Holmberg, J. *see* **Arzoumanian, Z.**
Hone, J. *see* **Caley, P.**
Honnay, O. *see* **Hérault, B.**
Hooftman, D.A.P., Oostermeijer, J.G.B., Jacobs, M.M.J. & Den Nijs, H.C.M. Demographic vital rates determine the performance advantage of crop–wild hybrids in lettuce, 1086
Hooper, E., Legendre, P. & Condit, R. Barriers to forest regeneration of deforested and abandoned land in Panama, 1165
Hughes, F.M.R. *see* **Jansson, R.**
Hulme, P. *see* **Freckleton, R.P.**
Hulme, P.E. Adapting to climate change: is there scope for ecological management in the face of a global threat? 784

© 2005 British Ecological Society,

Humston, R., Mortensen, D.A. & Bjørnstad, O.N. Anthropogenic forcing on the spatial dynamics of an agricultural weed: the case of the common sunflower, 863
Hunt, M.G. & Newman, J.A. Reduced herbivore resistance from a novel grass–endophyte association, 762
Hylander, K. *see* **Åström, M.**
Hylander, K. Aspect modifies the magnitude of edge effects on bryophyte growth in boreal forests, 518

Ings, T.C. *see* **Atkinson, P.W.**
Irwin, L.L. *see* **Boyce, M.S.**

Jacobs, M.M.J. *see* **Hooftman, D.A.P.**
Jani, A. *see* **McCallum, H.**
Jansson, R., Backx, H., Boulton, A.J., Dixon, M., Dudgeon, D., Hughes, F.M.R., Nakamura, K., Stanley, E.H. & Tockner, K. Stating mechanisms and refining criteria for ecologically successful river restoration: a comment on Palmer *et al.* (2005), 218
Jarošík, V. *see* **Müllerová, J.**
Jeavons, A.C. *see* **Thrall, P.H.**
Jefferies, R.L. *see* **Wolters, M.**
Jenkinson, R. *see* **Palmer, M.A.**
Jennings, N.V. *see* **White, P.C.L.**
Jennings, S. *see* **Dulvy, N.K.**
Jennings, S. *see* **Maxwell, D.**
Jensen, J.P. *see* **Søndergaard, M.**
Jeppesen, E. *see* **Søndergaard, M.**
Ji, W., White, P.C.L. & Clout, M.N. Contact rates between possums revealed by proximity data loggers, 595
Johnston, W.T. *see* **Woodroffe, R.**
Jones, D.T. *see* **Eggleton, P.**

Kastdalen, L. *see* **Brøseth, H.**
Kauffman, M. *see* **Gillilan, S.**
Kerby, G. *see* **Freckleton, R.P.**
Kernan, M. *see* **Curtis, C.J.**
Khoa, S.N., Lorenzen, K., Garaway, C., Chamsinhg, B., Siebert, D. & Randone, M. Impacts of irrigation on fisheries in rain-fed rice-farming landscapes, 892
King, D. Climate change: the science and the policy, 779
Klein, F. *see* **Bonenfant, C.**
Klemperer, S.L. *see* **Wood, J.D.**
Koen, T.B. *see* **Prober, S.M.**
Kondolf, G.M. *see* **Palmer, M.A.**

Laiolo, P. & Tella, J.L. Habitat fragmentation affects culture transmission: patterns of song matching in Dupont's lark, 1183
Lake, P.S. *see* **Palmer, M.A.**
Lambert, M.C. *see* **Eggleton, P.**
Langer, L. *see* **Buckley, Y.M.**
Larsen, K. *see* **Wheatley, M.**
Lave, R. *see* **Palmer, M.A.**
Le Fevre, A.M. *see* **Woodroffe, R.**
Leader-Williams, N. *see* **Sitati, N.W.**
Ledgard, N. *see* **Buckley, Y.M.**
Legendre, P. *see* **Hooper, E.**
Lehtilä, K. *see* **Ehrlén, J.**
Leimu, R. *see* **Ehrlén, J.**
Lemcke, R. *see* **Diekmann, M.**
Lepczyk, C.A. Integrating published data and citizen science to describe bird diversity across a landscape, 672
Lepori, F., Palm, D. & Malmqvist, B. Effects of stream restoration on ecosystem functioning: detritus retentiveness and decomposition, 228
Lepš, J. *see* **De Bello, F.**
Leyer, I. Predicting plant species' responses to river regulation: the role of water level fluctuations, 239
Liira, J *see* **Schweiger, O.**
Lindenmayer, D.B., Cunningham, R.B. & Peakall, R. The recovery of populations of bush rat *Rattus fuscipes* in forest fragments following major population reduction, 649
Lindsay, E.A. & French, K. Litterfall and nitrogen cycling following invasion by *Chrysanthemoides monilifera* ssp. *rotundata* in coastal Australia, 556
Litke, J. *see* **Wheatley, M.**
Logan, C.J. *see* **Hayward, J.L.**
Lonergan, M. *see* **Thompson, D.**
Lorenzen, K. *see* **Khoa, S.N.**
Loss, S.G. *see* **Palmer, M.A.**
Lourenço, P.M., Granadeiro, J.P. & Palmeirim, J.M. Importance of drainage channels for waders foraging on tidal flats: relevance for the management of estuarine wetlands, 477
Lunt, I.D. *see* **Prober, S.M.**

Macdonald, D.W. *see* **Baker, S.E.**
Macdonald, D.W. *see* **Moorhouse, T.P.**
MacIsaac, H.J. *see* **Muirhead, J.R.**
MacKenzie, D.I. & Royle, J.A. Designing occupancy studies: general advice and allocating survey effort, 1105
Maelfait, J.P. *see* **Schweiger, O.**
Malmqvist, B. *see* **Lepori, F.**
Manning, P., Putwain, P.D. & Webb, N.R. Formulating a general statistical model for *Betula* spp. invasion of lowland heath ecosystems, 1031
Måren, I.E. *see* **Vandvik, V.**
Marriott, D. *see* **Eggleton, P.**
Marrs, R.H. *see* **Hirst, R.A.**
Martin, L.M., Moloney, K.A. & Wilsey, B.J. An assessment of grassland restoration success using species diversity components, 327
Martin, T.G. & Possingham, H.P. Predicting the impact of livestock grazing on birds using foraging height data, 400
Martínez Del Rio, C. *see* **Stephens, P.A.**
Masters, P. *see* **McCarthy, M.A.**
Maxwell, D. & Jennings, S. Power of monitoring programmes to detect decline and recovery of rare and vulnerable fish, 25
McCallum, H., Gerber, L. & Jani, A. Does infectious disease influence the efficacy of marine protected areas? A theoretical framework, 688

© 2005 British Ecological Society,

McCarthy, M.A. & Masters, P. Profiting from prior information in Bayesian analyses of ecological data, 1012
McInerney, J.P. *see* **Woodroffe, R.**
McIver, J. *see* **Smith, J.E.**
McKay, D. *see* **Smith, J.E.**
Mehner, T. *see* **Diekmann, M.**
Mendelson, S. *see* **Cowlishaw, G.**
Meyer, J.L. *see* **Palmer, M.A.**
Meyer, M.W. *see* **Hayward, J.L.**
Millsom, D.A. *see* **Thrall, P.H.**
Milner, J.M. *see* **Nilsen, E.B.**
Möller, I. *see* **Wolters, M.**
Moloney, K.A. *see* **Martin, L.M.**
Moorhouse, T.P. & Macdonald, D.W. Indirect negative impacts of radio-collaring: sex-ratio variation in water voles, 91
Morrison, W.I. *see* **Woodroffe, R.**
Mortensen, D.A. *see* **Humston, R.**
Muirhead, J.R. & MacIsaac, H.J. Development of inland lakes as hubs in an invasion network, 80
Müllerová, J., Pyšek, P., Jarosík, V. & Pergl, J. Aerial photographs as a tool for assessing the regional dynamics of the invasive plant species *Heracleum mantegazzianum*, 1042
Münzbergová, Z. & Ehrlén, J. How best to collect demographic data for population viability analysis models, 1115
Murdoch, A.J. *see* **Van Mourik, T.A.**
Mysterud, A. *see* **Nilsen, E.B.**

Nakamura, K. *see* **Jansson, R.**
Neve, P. *see* **Vila-Aiub, M.M.**
Newman, J.A. *see* **Hunt, M.G.**
Nicolini, E.A. *see* **Couteron, P.**
Nilsen, E.B., Pettersen, T., Gundersen, H., Milner, J.M., Mysterud, A., Solberg, E.J., Andreassen, H.P. & Stenseth, N.C. Moose harvesting strategies in the presence of wolves, 389
Nilsson, C. *see* **Åström, M.**
Norman, B. *see* **Arzoumanian, Z.**
North, H. *see* **Buckley, Y.M.**
Novaro, A.J., Funes, M.C. & Walker, R.S. An empirical test of source–sink dynamics induced by hunting, 910

Oaten, H. *see* **Holland, J.M.**
O'Brien, S., Robert, B. & Tiandry, H. Consequences of violating the recapture duration assumption of mark–recapture models: a test using simulated and empirical data from an endangered tortoise population, 1096
O'Connell-Rodwell, C.E. *see* **Wood, J.D.**
O'Connor, T.G. Influence of land use on plant community composition and diversity in Highland Sourveld grassland in the southern Drakensberg, South Africa, 975
O'Donnell, T.K. *see* **Palmer, M.A.**
Olsson, P.A. *see* **Antonsen, H.**
Oostermeijer, J.G.B. *see* **Hooftman, D.A.P.**
Ormerod, S.J. *see* **Vaughan, I.P.**
Osborne, P.E. *see* **Creegan, H.P.**

Pagano, L. *see* **Palmer, M.A.**
Paget, D. *see* **Couteron, P.**
Palm, D. *see* **Lepori, F.**
Palmeirim, J.M. *see* **Lourenço, P.M.**
Palmer, M.A., Bernhardt, E.S., Allan, J.D., Lake, P.S., Alexander, G., Brooks, S., Carr, J., Clayton, S., Dahm, C.N., Follstad Shah, J., Galat, D.L., Loss, S.G., Goodwin, P., Hart, D.D., Hassett, B., Jenkinson, R., Kondolf, G.M., Lave, R., Meyer, J.L., O'Donnell, T.K., Pagano, L. & Sudduth, E. Standards for ecologically successful river restoration, 208
Parris, C.R. *see* **Hayward, J.L.**
Paynter, Q. Evaluating the impact of a biological control agent *Carmenta mimosa* on the woody wetland weed *Mimosa pigra* in Australia, 1054
Peakall, R. *see* **Lindenmayer, D.B.**
Pedersen, H.C. *see* **Brøseth, H.**
Pelissier, R. *see* **Couteron, P.**
Pergl, J. *see* **Müllerová, J.**
Pettersen, T. *see* **Nilsen, E.B.**
Pfisterer, A.B. *see* **Schläpfer, F.**
Posse, G.A. *see* **Cingolani, A.M.**
Possingham, H.P. *see* **Martin, T.G.**
Powles, S.B. *see* **Vila-Aiub, M.M.**
Prober, S.M., Thiele, K.R., Lunt, I.D. & Koen, T.B. Restoring ecological function in temperate grassy woodlands: manipulating soil nutrients, exotic annuals and native perennial grasses through carbon supplements and spring burns, 1073
Putwain, P.D. *see* **Hirst, R.A.**
Putwain, P.D. *see* **Manning, P.**
Pyšek, P. *see* **Müllerová, J.**
Pywell, R.F. *see* **Hirst, R.A.**

Racey, P.A. *see* **Clarke, F.M.**
Ramsey, D. Population dynamics of brushtail possums subject to fertility control, 348
Randone, M. *see* **Khoa, S.N.**
Ratcliffe, N., Schmitt, S. & Whiffin, M. Sink or swim? Viability of a black-tailed godwit population in relation to flooding, 834
Rees, M. *see* **Buckley, Y.M.**
Reid, N. *see* **Cummings, J.**
Rentch, J.S., Fortney, R.H., Stephenson, S.L., Adams, H.S., Grafton, W.N. & Anderson, J.T. Vegetation–site relationships of roadside plant communities in West Virginia, USA, 129
Renwick, A.R. *see* **White, P.C.L.**
Reynolds, B. *see* **Curtis, C.J.**
Reynolds, J.D. *see* **Dulvy, N.K.**
Rixen, C. *see* **Wipf, S.**
Robert, B. *see* **O'Brien, S.**
Robertson, P.A. *see* **Smith, G.C.**
Rockett, C. *see* **Eggleton, P.**
Roijackers, R.M.M. *see* **Van Geest, G.J.**
Roschewitz, I., Gabriel, D., Tscharntke, T. & Thies, C. The effects of landscape complexity on arable weed species diversity in organic and conventional farming, 873

© 2005 British Ecological Society,

Roschewitz, I. *see* **Schmidt, M.H.**
Ross, E. *see* **Eggleton, P.**
Rostant, L.V. *see* **Clarke, F.M.**
Roubalova, M. *see* **Schweiger, O.**
Rowcliffe, J.M. *see* **Cowlishaw, G.**
Royle, J.A. *see* **MacKenzie, D.I.**
Ruf, T. *see* **Bieber, C.**

Scheffer, M. *see* **Van Geest, G.J.**
Schläpfer, F., Pfisterer, A.B. & Schmid, B. Non-random species extinction and plant production: implications for ecosystem functioning, 13
Schmid, B. *see* **Schläpfer, F.**
Schmid, B. *see* **Wipf, S.**
Schmidt, M.H., Roschewitz, I., Thies, C. & Tscharntke, T. Differential effects of landscape and management on diversity and density of ground-dwelling farmland spiders, 281
Schmidtlein, S. Imaging spectroscopy as a tool for mapping Ellenberg indicator values, 966
Schmitt, S. *see* **Ratcliffe, N.**
Schweiger, O., Maelfait, J.P., Van Wingerden, W., Hendrickx, F., Billeter, R., Speelmans, M., Augenstein, I., Aukema, B., Aviron, S., Bailey, D., Bukacek, R., Burel, F., Diekötter, T., Dirksen, J., Frenzel, M., Herzog, F., Liira, J., Roubalova, M. & Bugter, R. Quantifying the impact of environmental factors on arthropod communities in agricultural landscapes across organizational levels and spatial scales, 1129
Sebastià, M.-T. *see* **De Bello, F.**
Seiler, A. Predicting locations of moose–vehicle collisions in Sweden, 371
Shea, K. *see* **Skarpaas, O.**
Sheppard, A.W. *see* **Buckley, Y.M.**
Shilland, E. *see* **Curtis, C.J.**
Siebert, D. *see* **Khoa, S.N.**
Sitati, N.W., Walpole, M.J. & Leader-Williams, N. Factors affecting susceptibility of farms to crop raiding by African elephants: using a predictive model to mitigate conflict, 1175
Skarpaas, O., Shea, K. & Bullock, J.M. Optimizing dispersal study design by Monte Carlo simulation, 731
Smith, G.C., Henderson, I.S. & Robertson, P.A. A model of ruddy duck *Oxyura jamaicensis* eradication for the UK, 546
Smith, J.E., McKay, D., Brenner, G., McIver, J. & Spatafora, J.W. Early impacts of forest restoration treatments on the ectomycorrhizal fungal community and fine root biomass in a mixed conifer forest, 526
Smith, R.E.N. *see* **Atkinson, P.W.**
Smith, R.H. *see* **Brakes, C.R.**
Smyth, M.J. *see* **Buckley, Y.M.**
Solberg, E.J. *see* **Nilsen, E.B.**
Søndergaard, M., Jeppesen, E., Jensen, J.P. & Amsinck, S.L. Water Framework Directive: ecological classification of Danish lakes, 616
Southway, S. *see* **Holland, J.M.**
Spatafora, J.W. *see* **Smith, J.E.**
Speelmans, M. *see* **Schweiger, O.**
Stanley, E.H. *see* **Jansson, R.**
Steadman, K.J. *see* **Vila-Aiub, M.M.**
Steen, H. *see* **Brøseth, H.**
Stenseth, N.C. *see* **Nilsen, E.B.**
Stephens, P.A., Buskirk, S.W., Hayward, G.D. & Martínez Del Rio, C. Information theory and hypothesis testing: a call for pluralism, 4
Stephenson, S.L. *see* **Rentch, J.S.**
Stoeckli, V. *see* **Wipf, S.**
Stomph, T.J. *see* **Van Mourik, T.A.**
Straw, N. *see* **Gilbert, M.**
Sudduth, E. *see* **Palmer, M.A.**
Swetnam, R.D. *see* **Whittingham, M.J.**
Sykora, K. *see* **Van Der Werf, W.**
Syrjänen, K. *see* **Ehrlén, J.**

Tallowin, J.R.B. *see* **Atkinson, P.W.**
Tambling, C.J. & Du Toit, J.T. Modelling wildebeest population dynamics: implications of predation and harvesting in a closed system, 431
Tella, J.L. *see* **Laiolo, P.**
Thiele, K.R. *see* **Prober, S.M.**
Thies, C. *see* **Roschewitz, I.**
Thies, C. *see* **Schmidt, M.H.**
Thoen, D. *see* **Hérault, B.**
Thomas, C.F.G. *see* **Holland, J.M.**
Thompson, D., Lonergan, M. & Duck, C. Population dynamics of harbour seals *Phoca vitulina* in England: monitoring growth and catastrophic declines, 638
Thrall, P.H., Millsom, D.A., Jeavons, A.C., Waayers, M., Harvey, G.R., Bagnall, D.J. & Brockwell, J. Seed inoculation with effective root-nodule bacteria enhances revegetation success, 740
Tiandry, H. *see* **O'Brien, S.**
Tilbury, C. *see* **Gilbert, M.**
Tockner, K. *see* **Jansson, R.**
Toms, M.P. *see* **Cannon, A.R.**
Tscharntke, T. *see* **Roschewitz, I.**
Tscharntke, T. *see* **Schmidt, M.H.**
Tufto, J. *see* **Brøseth, H.**

Van Der Werf, W., Woldewahid, G., Van Huis, A., Butrous, M. & Sykora, K. Plant communities can predict the distribution of solitarious desert locust *Schistocerca gregaria*, 989
Van Geest, G.J., Coops, H., Roijackers, R.M.M., Buijse, A.D. & Scheffer, M. Succession of aquatic vegetation driven by reduced water-level fluctuations in floodplain lakes, 251
Van Huis, A. *see* **Van Der Werf, W.**
Van Mourik, T.A., Stomph, T.J. & Murdoch, A.J. Why high seed densities within buried mesh bags may overestimate depletion rates of soil seed banks, 299
Van Wingerden, W. *see* **Schweiger, O.**
Vanbergen, A.J. *see* **Eggleton, P.**

© 2005 British Ecological Society,

Vandvik, V., Heegaard, E., Måren, I.E. & Aarrestad, P.A. Managing heterogeneity: the importance of grazing and environmental variation on post-fire succession in heathlands, 139

Vaughan, I.P. & Ormerod, S.J. Increasing the value of principal components analysis for simplifying ecological data: a case study with rivers and river birds, 487

Vaughan, I.P. & Ormerod, S.J. The continuing challenges of testing species distribution models, 720

Vickery, J.A. *see* **Atkinson, P.W.**

Viggers, K.L. & Hearn, J.P. The kangaroo conundrum: home range studies and implications for land management, 99

Vila-Aiub, M.M., Neve, P., Steadman, K.J. & Powles, S.B. Ecological fitness of a multiple herbicide-resistant *Lolium rigidum* population: dynamics of seed germination and seedling emergence of resistant and susceptible phenotypes, 288

Waayers, M. *see* **Thrall, P.H.**

Walker, R.S. *see* **Novaro, A.J.**

Walpole, M.J. *see* **Sitati, N.W.**

Watkins, R. *see* **Baker, S.E.**

Webb, N.R. *see* **Manning, P.**

Weibull, A.-C. *see* **Bengtsson, J.**

Weston, L.A. *see* **Barney, J.N.**

Wheatley, M., Fisher, J.T., Larsen, K., Litke, J. & Boutin, S. Using GIS to relate small mammal abundance and landscape structure at multiple spatial extents: the northern flying squirrel in Alberta, Canada, 577

Whiffin, M. *see* **Ratcliffe, N.**

White, P.C.L., Jennings, N.V., Renwick, A.R. & Barker, N.H.L. Questionnaires in ecology: a review of past use and recommendations for best practice, 421

White, P.C.L. *see* **Ji, W.**

Whittingham, M.J. *see* **Butler, S.J.**

Whittingham, M.J., Swetnam, R.D., Wilson, J.D., Chamberlain, D.E. & Freckleton, R.P. Habitat selection by yellowhammers *Emberiza citrinella* on lowland farmland at two spatial scales: implications for conservation management, 270

Wilmer, B. *see* **Crist, M.R.**

Wilsey, B.J. *see* **Martin, L.M.**

Wilson, J.D. *see* **Whittingham, M.J.**

Wipf, S., Rixen, C., Fischer, M., Schmid, B. & Stoeckli, V. Effects of ski piste preparation on alpine vegetation, 306

Woldewahid, G. *see* **Van Der Werf, W.**

Wolters, M., Bakker, J.P., Bertness, M.D., Jefferies, R.L. & Möller, I. Saltmarsh erosion and restoration in south-east England: squeezing the evidence requires realignment, 844

Wolters, M., Garbutt, A. & Bakker, J.P. Plant colonization after managed realignment: the relative importance of diaspore dispersal, 770

Wood, J.D., O'Connell-Rodwell, C.E. & Klemperer, S.L. Using seismic sensors to detect elephants and other large mammals: a potential census technique, 587

Woodroffe, R., Donnelly, C.A., Johnston, W.T., Bourne, F.J., Cheeseman, C.L., Clifton-Hadley, R.S., Cox, D.R., Gettinby, G., Hewinson, R.G., Le Fevre, A.M., McInerney, J.P. & Morrison, W.I. Spatial association of *Mycobacterium bovis* infection in cattle and badgers *Meles meles*, 852

Wright, R.J. *see* **Hart, S.C.**

Zollner, P.A. *see* **Blumstein, D.T.**

© 2005 British Ecological Society,